

LUMENFLEX-TOP-SAMBA


Cable Entry




Mounting Profile Information


LF-TOP-HS - Standard Aluminium U Profile









LF-TOP-HS-SL-BRACKET - Self-Locking Aluminium U Channel










LF-TOP-HS-SL - Self-Locking Aluminium U Channel









LF-TOP-HS-PLASTIC-WH - Standard Plastic U Profile - White
LF-TOP-HS-PLASTIC-CL - Standard Plastic U Profile - Clear







LUMENFLEX-TOP-SAMBA

Driver Configuration Table

BC Code	DRIVER (Non-Dim)	SPECIFICATION	LUMENFLEX LENGTH
15210	ORLRPV2435	LED Driver, DC24V, 35W	Up to 2.5M
15214	ORLRPV2460	LED Driver, DC24V, 60W	Up to 5M
15199	ORLRPV24100	LED Driver, DC24V, 100W	Up to 8M
15203	ORLRPV24150	LED Driver, DC24V, 150W	Up to 10M

DMX-SPI Signal Controller - ORL-DMX-INT-LT800



DMX-SPI Signal Decoder - ORL-DMX-1809



Length Matrix

The LUMENFLEX-TOP-SAMBA can be cut every 125mm. The below table gives information on the overall length, obtained by adding the total cable entry length and end mould, to all the available cut lengths up to 10M.

Note: Allow for a tolerance of +/- 0.3mm on cut points.

		Total Length (mm)		
Segments	Luminaire/ Cutpoints	Inline+End	Left Only+End	Rear+End
1	125.00	143.00	129.00	129.00
2	250.00	268.00	254.00	254.00
3	375.00	393.00	379.00	379.00
4	500.00	518.00	504.00	504.00
5	625.00	643.00	629.00	629.00
6	750.00	768.00	754.00	754.00
7	875.00	893.00	879.00	879.00
8	1000.00	1018.00	1004.00	1004.00
9	1125.00	1143.00	1129.00	1129.00
10	1250.00	1268.00	1254.00	1254.00
11	1375.00	1393.00	1379.00	1379.00
12	1500.00	1518.00	1504.00	1504.00
13	1625.00	1643.00	1629.00	1629.00
14	1750.00	1768.00	1754.00	1754.00
15	1875.00	1893.00	1879.00	1879.00
16	2000.00	2018.00	2004.00	2004.00
17	2125.00	2143.00	2129.00	2129.00
18	2250.00	2268.00	2254.00	2254.00
19	2375.00	2393.00	2379.00	2379.00
20	2500.00	2518.00	2504.00	2504.00
21	2625.00	2643.00	2629.00	2629.00
22	2750.00	2768.00	2754.00	2754.00
23	2875.00	2893.00	2879.00	2879.00
24	3000.00	3018.00	3004.00	3004.00
25	3125.00	3143.00	3129.00	3129.00

LUMENFLEX-TOP-SAMBA

orlight®
FROM SOURCE TO SITE

Length Matrix

		Total Length (mm)		
Segments	Luminaire/ Cutpoints	Inline+End	Left Only+End	Rear+End
26	3250.00	3268.00	3254.00	3254.00
27	3375.00	3393.00	3379.00	3379.00
28	3500.00	3518.00	3504.00	3504.00
29	3625.00	3643.00	3629.00	3629.00
30	3750.00	3768.00	3754.00	3754.00
31	3875.00	3893.00	3879.00	3879.00
32	4000.00	4018.00	4004.00	4004.00
33	4125.00	4143.00	4129.00	4129.00
34	4250.00	4268.00	4254.00	4254.00
35	4375.00	4393.00	4379.00	4379.00
36	4500.00	4518.00	4504.00	4504.00
37	4625.00	4643.00	4629.00	4629.00
38	4750.00	4768.00	4754.00	4754.00
39	4875.00	4893.00	4879.00	4879.00
40	5000.00	5018.00	5004.00	5004.00
41	5125.00	5143.00	5129.00	5129.00
42	5250.00	5268.00	5254.00	5254.00
43	5375.00	5393.00	5379.00	5379.00
44	5500.00	5518.00	5504.00	5504.00
45	5625.00	5643.00	5629.00	5629.00
46	5750.00	5768.00	5754.00	5754.00
47	5875.00	5893.00	5879.00	5879.00
48	6000.00	6018.00	6004.00	6004.00
49	6125.00	6143.00	6129.00	6129.00
50	6250.00	6268.00	6254.00	6254.00
51	6375.00	6393.00	6379.00	6379.00
52	6500.00	6518.00	6504.00	6504.00
53	6625.00	6643.00	6629.00	6629.00
54	6750.00	6768.00	6754.00	6754.00
55	6875.00	6893.00	6879.00	6879.00
56	7000.00	7018.00	7004.00	7004.00
57	7125.00	7143.00	7129.00	7129.00
58	7250.00	7268.00	7254.00	7254.00
59	7375.00	7393.00	7379.00	7379.00
60	7500.00	7518.00	7504.00	7504.00
61	7625.00	7643.00	7629.00	7629.00
62	7750.00	7768.00	7754.00	7754.00
63	7875.00	7893.00	7879.00	7879.00
64	8000.00	8018.00	8004.00	8004.00
65	8125.00	8143.00	8129.00	8129.00
66	8250.00	8268.00	8254.00	8254.00
67	8375.00	8393.00	8379.00	8379.00
68	8500.00	8518.00	8504.00	8504.00
69	8625.00	8643.00	8629.00	8629.00
70	8750.00	8768.00	8754.00	8754.00
71	8875.00	8893.00	8879.00	8879.00
72	9000.00	9018.00	9004.00	9004.00

LUMENFLEX-TOP-SAMBA

Length Matrix

		Total Length (mm)		
Segments	Luminaire/ Cutpoints	Inline+End	Left Only+End	Rear+End
73	9125.00	9143.00	9129.00	9129.00
74	9250.00	9268.00	9254.00	9254.00
75	9375.00	9393.00	9379.00	9379.00
76	9500.00	9518.00	9504.00	9504.00
77	9625.00	9643.00	9629.00	9629.00
78	9750.00	9768.00	9754.00	9754.00
79	9875.00	9893.00	9879.00	9879.00
80	10000.00	10018.00	10004.00	10004.00

NOTE: The max length power from one side is 10 meters. The overall lengths are including Ends, please also allow for +/- 0.3mm Tolerance on overall length. Products are injection moulded by machine that is man operated therefore please allow a tolerance of 5mm.